



ELORA - Assortment



The production of Stillson spanners, chain pipe spanners and Swedish pliers was the beginning. Today, the range comprises over 7000 products in numerous designs, materials and qualities.



04




IMPACT TOOLS



Impact-Tools 1/4" _____	Page 206
Impact-Tools 3/8" _____	Page 209
Impact-Tools 1/2" _____	Page 212
Impact-Tools 3/4" _____	Page 219
Impact-Tools 1" _____	Page 224
Impact-Tools 1.1/2" + 2.1/2" _____	Page 228
Impact bits _____	Page 230

788-..., 788A-...
IMPACT SOCKET 1/4", HEXAGON

- for power tools
- special steel, phosphated
- female square drive according to DIN 3121-G 6,3, ISO 1174
- according to DIN 3129, ISO 2725-2


6,3
1/4"



Code	Number	l/mm	l1 mm	d1 mm	d2 mm	Locking Pin	Locking Ring	Pieces	Weight/g
0788000405100	788-4	23	4	7,5	13	7883-11	7884-11	6	14
0788000455100	788-4,5	23	4	8	13	7883-11	7884-11	6	14
0788000505100	788-5	23	5	8,5	13	7883-11	7884-11	6	14
0788000555100	788-5,5	23	5	9	13	7883-11	7884-11	6	14
0788000605100	788-6	23	6	10	13	7883-11	7884-11	6	14
0788000705100	788-7	23	6	11	13	7883-11	7884-11	6	15
0788000805100	788-8	23	7	12	13	7883-11	7884-11	6	15
0788000905100	788-9	23	7	13	13	7883-11	7884-11	6	15
0788001005100	788-10	23	7	14,5	13	7883-11	7884-11	6	17
0788001105100	788-11	23	8	16	13	7883-11	7884-11	6	17
0788001205100	788-12	23	9	17	13	7883-11	7884-11	6	18
0788001305100	788-13	23	9	18	13	7883-11	7884-11	6	18
0788001405100	788-14	23	9	20	13	7883-11	7884-11	6	24
0788001705100	788-17	26	10	24	13	7883-11	7884-11	6	35



Code	Number	l/mm	l1 mm	d1 mm	d2 mm	Locking Pin	Locking Ring	Pieces	Weight/g
0788100135100	788A-1/4	23	5	10,5	13	7883-11	7884-11	6	15
0788100175100	788A-5/16	23	5	12	13	7883-11	7884-11	6	15
0788100185100	788A-11/32	23	5	13	13	7883-11	7884-11	6	15

796-E...
IMPACT SOCKET 1/4"

- for outside TORX® screws
- for power tools
- special steel, phosphated
- female square according to DIN 3121-G6, 3, ISO 1174
- TORX® = reg. trademark of Acument Intellectual Properties, LLC. USA


6,3
1/4"

Code	Number	★ mm	l/mm	l1 mm	d1 mm	d2 mm	Locking Pin	Locking Ring	Pieces	Weight/g
0796000045000	796-E4	3,86	23	3,2	7,4	13	7883-11	7884-11	6	15
0796000055000	796-E5	4,73	23	3,2	8,3	13	7883-11	7884-11	6	15
0796000065000	796-E6	5,74	23	4	9,3	13	7883-11	7884-11	6	15
0796000075000	796-E7	6,16	23	4,8	9,8	13	7883-11	7884-11	6	15
0796000085000	796-E8	7,52	23	5,6	11,1	13	7883-11	7884-11	6	15
0796000105000	796-E10	9,42	23	6,4	13	13	7883-11	7884-11	6	16

7900-...

IMPACT EXTENSION BAR 1/4"

- ▶ for power tools
- ▶ special steel, phosphated
- ▶ square according to DIN 3121, form F and G, ISO 1174



6,3

1/4"

Code	Number	l/mm ┆	Locking Pin	Locking Ring	Pieces ☞	Weight/g ⚖
7900000505100	7900-50	50	7883-11	7884-11	6	28

7907-...

IMPACT ADAPTOR

- ▶ for power tools
- ▶ special steel, phosphated
- ▶ square according to DIN 3121, form F and G, ISO 1174



6,3

1/4"

Code	Number	⊘	■	l/mm ┆	Locking Pin	Locking Ring	Pieces ☞	Weight/g ⚖
7907100175100	7907-5/16	1/4"	5/16"	25	7883-11	7884-11	3	18
7907100195100	7907-3/8	1/4"	3/8"	25	7883-11	7884-11	3	20

04

You will find the matching socket rails on page no. 139



4140-...

ADAPTOR 1/4"

- for power tools
- **ELORA-Nr. 4140-50:** male square drive according to DIN 3121 E 6,3, ISO 1174 with locking pin, according to DIN 7428, ISO 3317
- **ELORA-Nr. 4140-100:** male square drive according to DIN 3120 A 6,3, ISO 1174 with ball locking device

6,3

1/4"



4140-50

4140-100

Code	Number	l/mm ┌──┐			Pieces 	Weight/g
4140000505200	4140-50	50	1/4"	1/4"	6	15,6
4140001005200	4140-100	100	1/4"	1/4"	6	38,0

7883-.../7884-...

IMPACT LOCKING PIN AND RING FOR IMPACT SOCKET 1/4"

- for locking impact sockets and operating tools
- locking pin made of alloyed special steel
- locking ring made of rubber elastic and oil resistant material




7883-...

7884-...

Code	Number	l/mm ┌──┐	mm Ø	Pieces 	Weight/g
7883000115100	7883-11	11	1,5	12	0,2
7883000135100	7883-13	13	1,5	12	0,2
7884000115100	7884-11	-	11	12	0,2
7884000145100	7884-14	-	14	12	0,2

789-.../789A-...
IMPACT SOCKET 3/8", HEXAGON

- for power tools
- special steel, phosphated
- female square drive according to DIN 3121-G 10, ISO 1174
- according to DIN 3129, ISO 2725-2


10
3/8"


Code	Number	l/mm	l1 mm	d1 mm	d2 mm	Locking Pin	Locking Ring	Pieces	Weight/g
0789000605100	789-6	32	5	11,3	19	7893-15	7894-15	6	40
0789000705100	789-7	32	5	12,5	19	7893-15	7894-15	6	40
0789000805100	789-8	32	6	13,7	19	7893-15	7894-15	6	40
0789000905100	789-9	32	6	15,0	19	7893-15	7894-15	6	40
0789001005100	789-10	32	7	16,3	19	7893-15	7894-15	6	41
0789001105100	789-11	32	7	17,5	19	7893-15	7894-15	6	41
0789001205100	789-12	32	8	19,0	19	7893-15	7894-15	6	58
0789001305100	789-13	32	8	20,0	22	7893-18	7894-18	6	40
0789001405100	789-14	32	9	21,3	22	7893-18	7894-18	6	58
0789001505100	789-15	32	9	22,5	22	7893-18	7894-18	6	58
0789001605100	789-16	32	10	23,8	22	7893-18	7894-18	6	58
0789001705100	789-17	32	10	25,0	22	7893-18	7894-18	6	66
0789001805100	789-18	32	11	26,3	22	7893-18	7894-18	6	66
0789001905100	789-19	32	12	27,5	22	7893-18	7894-18	6	66
0789002005100	789-20	34	12	29,0	22	7893-18	7894-18	6	75
0789002105100	789-21	34	13	30,0	22	7893-18	7894-18	6	75
0789002205100	789-22	34	14	31,3	22	7893-18	7894-18	6	75
0789002305100	789-23	34	15	32,5	22	7893-18	7894-18	6	75
0789002405100	789-24	36	16	33,8	22	7893-18	7894-18	6	75




Code	Number	l/mm	l1 mm	d1 mm	d2 mm	Locking Pin	Locking Ring	Pieces	Weight/g
0789100175100	789A-5/16	29,5	5	12,5	19	7893-15	7894-15	6	40
0789100215100	789A-7/16	29,5	7	17,0	19	7893-15	7894-15	6	41
0789100235100	789A-1/2	29,5	7	20,0	19	7893-15	7894-15	6	55
0789100245100	789A-9/16	31,5	8	22,0	22	7893-18	7894-18	6	56

04

797-E...

IMPACT SOCKET 3/8"

- for outside TORX® screws
- for power tools
- special steel, phosphated
- female square drive according to DIN 3121-G 10, ISO 1174
- TORX® = reg. trademark of Acument Intellectual Properties, LLC. USA



10


3/8"

Code	Number	★ mm	l/mm	l1 mm	d1 mm	d2 mm	Locking Pin	Locking Ring	Pieces	Weight/g
0797000045000	797-E4	3,86	32	5	9	19	7893-15	7894-15	6	43
0797000055000	797-E5	4,73	32	5	9	19	7893-15	7894-15	6	43
0797000065000	797-E6	5,74	32	7	10	19	7893-15	7894-15	6	42
0797000075000	797-E7	6,16	32	7	10	19	7893-15	7894-15	6	42
0797000085000	797-E8	7,52	32	8	10,5	19	7893-15	7894-15	6	42
0797000105000	797-E10	9,42	32	9	12,5	19	7893-15	7894-15	6	42
0797000125000	797-E12	11,17	32	10	15	19	7893-15	7894-15	6	42
0797000145000	797-E14	12,9	32	12	17,5	19	7893-15	7894-15	6	44
0797000165000	797-E16	14,76	32	12	19	19	7893-15	7894-15	6	42

789IN-...

IMPACT SCREWDRIVER SOCKET 3/8"

- for inside hexagon screws
- for power tools
- with exchangeable blades
- special steel, phosphated
- female square drive according to DIN 3121-G 10, ISO 1174



10

3/8"

Code	Number	l/mm	l1 mm	d mm	Locking Pin	Locking Ring	Pieces	Weight/g
0789010305100	789IN-3	48	20	19	7893-15	7894-15	6	35
0789010405100	789IN-4	48	20	19	7893-15	7894-15	6	35
0789010505100	789IN-5	48	20	19	7893-15	7894-15	6	40
0789010605100	789IN-6	48	20	19	7893-15	7894-15	6	40
0789010805100	789IN-8	55	25	19	7893-15	7894-15	6	55
0789011005100	789IN-10	60	28	19	7893-15	7894-15	6	70
0789011205100	789IN-12	65	31	19	7893-15	7894-15	6	90

Spare blades on request

7906-...

IMPACT EXTENSION BAR 3/8"

- for power tools
- special steel, phosphated
- square according to DIN 3121, form F and G, ISO 1174



10

3/8"

Code	Number	l/mm	Locking Pin	Locking Ring	Pieces	Weight/g
7906000755100	7906-75	75	7893-15	7894-15	6	87
7906001505100	7906-150	150	7893-15	7894-15	3	180
7906002505100	7906-250	250	7893-15	7894-15	3	286

You will find the matching socket rails on page no. 143



795-3/8

IMPACT UNIVERSAL JOINT 3/8"

- for power tools
- special steel, phosphated
- square according to DIN 3121, form F and G, ISO 1174



10

3/8"

Code	Number	l/mm	Locking Pin	Locking Ring	Pieces	Weight/g
0795100195100	795-3/8	50	7893-18	7894-18	3	67

7902-.../7905-.../7907-...

IMPACT ADAPTOR

- for power tools
- special steel, phosphated
- square according to DIN 3121, form F, G and H, ISO 1174



10

3/8"

Code	Number	Ø	□	l/mm	Locking Pin	Locking Ring	Pieces	Weight/g
7907100195100	7907-3/8	1/4"	3/8"	25	7883-11	7884-11	3	20
7905100235100	7905-1/2	3/8"	1/2"	32	7893-21	7894-20	3	75
7902100195100	7902-3/8	1/2"	3/8"	36	7903-20	7904-20	3	65

3426

IMPACT ADAPTOR

- for power tools
- with 1/4" outside hexagon according to DIN 3126-E 6,3, DIN ISO 1173
- special steel
- male square drive according to DIN 3121-E 10, ISO 1174, with locking pin
- according to DIN 7428, ISO 3317



10

3/8"

Code	Number	l/mm	□	Ø	Pieces	Weight/g
3426000000000	3426	50	3/8"	1/4"	6	52

7893-.../7894-...

IMPACT LOCKING PIN AND RING FOR IMPACT SOCKET 3/8"


- for locking impact sockets and operating tools
- locking pin made of alloyed special steel
- locking ring made of rubber elastic and oil resistant material



Code	Number	l/mm	mm Ø	Pieces	Weight/g
7893000155100	7893-15	15	2,5	12	0,60
7893000185100	7893-18	18	2,5	12	0,75
7893000215100	7893-21	21	3,0	12	0,80
7894000155100	7894-15	-	15	12	0,30
7894000185100	7894-18	-	18	12	0,35
7894000205100	7894-20	-	20	12	0,30

790-..., 790A-....
IMPACT SOCKET 1/2", HEXAGON

- for power tools
- special steel, phosphated
- female square drive according to DIN 3121-G 12,5, ISO1174
- according to DIN 3129, ISO 2725-2


12,5
1/2"


Code	Number	l/mm	l1 mm	d1 mm	d2 mm	Locking Pin	Locking Ring	Pieces	Weight/g
0790000105100	790-10	36	7	17,5	25	7903-20	7904-20	6	90
0790000115100	790-11	36	7	18,5	25	7903-20	7904-20	6	90
0790000125100	790-12	36	8	20	25	7903-20	7904-20	6	95
0790000135100	790-13	36	8	21	25	7903-20	7904-20	6	88
0790000145100	790-14	37	9	22,5	25	7903-20	7904-20	6	90
0790000155100	790-15	37	9	23,5	30	7903-25	7904-24	6	135
0790000165100	790-16	37	10	25	30	7903-25	7904-24	6	135
0790000175100	790-17	37	10	26	30	7903-25	7904-24	6	140
0790000185100	790-18	38	11	27,5	30	7903-25	7904-24	6	137
0790000195100	790-19	38	12	28,5	30	7903-25	7904-24	6	130
0790000205100	790-20	38	12	30	30	7903-25	7904-24	6	130
0790000215100	790-21	39	13	31	30	7903-25	7904-24	6	130
0790000225100	790-22	39	14	32,5	30	7903-25	7904-24	6	150
0790000235100	790-23	39	15	33,5	30	7903-25	7904-24	6	180
0790000245100	790-24	42	16	35	30	7903-25	7904-24	6	185
0790000255100	790-25	42	16	36	30	7903-25	7904-24	6	215
0790000265100	790-26	42	17	37,5	30	7903-25	7904-24	6	225
0790000275100	790-27	45	18	38,5	30	7903-25	7904-24	6	230
0790000285100	790-28	45	18	40	30	7903-25	7904-24	6	255
0790000295100	790-29	45	19	41	30	7903-25	7904-24	6	245
0790000305100	790-30	49	20	42,5	30	7903-25	7904-24	6	250
0790000325100	790-32	49	21	45	30	7903-25	7904-24	6	250
0790000345100	790-34	51	22	47,5	30	7903-25	7904-24	6	275




Code	Number	l/mm	l1 mm	d1 mm	d2 mm	Locking Pin	Locking Ring	Pieces	Weight/g
0790100195100	790A-3/8	35	5	16,5	25	7903-20	7904-20	6	90
0790100215100	790A-7/16	35	7	18	25	7903-20	7904-20	6	90
0790100235100	790A-1/2	35	7	20	25	7903-20	7904-20	6	88
0790100245100	790A-9/16	35	8	22	25	7903-20	7904-20	6	135
0790100265100	790A-5/8	35	9	24	30	7903-25	7904-24	6	135
0790100275100	790A-11/16	35	10	26	30	7903-25	7904-24	6	137
0790100285100	790A-3/4	35	11	29	30	7903-25	7904-24	6	130
0790100305100	790A-13/16	38	13	31	30	7903-25	7904-24	6	130
0790100315100	790A-7/8	38	14	33	30	7903-25	7904-24	6	150
0790100325100	790A-15/16	38	15	35	36	7903-30	7904-30	6	185
0790100345100	790A-1	38	16	37	36	7903-30	7904-30	6	225
0790100355100	790A-1. 1/16	40	16	39	36	7903-30	7904-30	6	225
0790100365100	790A-1.1/8	50	18	41	36	7903-30	7904-30	6	255
0790100385100	790A-1 1/4	50	19	44	36	7903-30	7904-30	6	250
0790100395100	790A-1.5/16	50	20	46	36	7903-30	7904-30	6	290

790LT-...

IMPACT SOCKET 1/2", EXTRA DEEP, HEXAGON

- for power tools
- special steel, phosphated
- female square drive according to DIN 3121-G 12,5, ISO 1174



12,5

1/2"



Code	Number	l/mm	l1 mm	d1 mm	d2 mm	Locking Pin	Locking Ring	Pieces	Weight/g
0790020105100	790LT-10	85	12	17	25	7903-20	7904-20	6	155
0790020135100	790LT-13	85	14	21	25	7903-20	7904-20	6	160
0790020145100	790LT-14	85	15	22,5	25	7903-20	7904-20	6	185
0790000155100	790LT-15	85	15	23,5	30	7903-25	7904-24	6	210
0790020165100	790LT-16	85	15	25	30	7903-25	7904-24	6	210
0790020175100	790LT-17	85	15	26	30	7903-25	7904-24	6	230
0790020185100	790LT-18	85	16	27	30	7903-25	7904-24	6	240
0790020195100	790LT-19	85	16	28,5	30	7903-25	7904-24	3	250
0790020205100	790LT-20	85	19	30	30	7903-25	7904-24	3	260
0790020215100	790LT-21	85	19	31	30	7903-25	7904-24	3	275
0790020225100	790LT-22	85	19	32,5	30	7903-25	7904-24	3	300
0790020245100	790LT-24	85	21	35	30	7903-25	7904-24	3	370
0790020275100	790LT-27	85	23	38	30	7903-25	7904-24	3	430
0790020305100	790LT-30	85	25	42	30	7903-25	7904-24	3	510
0790020325100	790LT-32	85	25	44	30	7903-25	7904-24	3	560



Code	Number	l/mm	l1 mm	d1 mm	d2 mm	Locking Pin	Locking Ring	Pieces	Weight/g
0790120195100	790LTA-3/8	78	4	16	25	7903-20	7904-20	6	140
0790120215100	790LTA-7/16	78	6	18	25	7903-20	7904-20	6	140
0790120235100	790LTA-1/2	78	6	20	25	7903-20	7904-20	6	140
0790120245100	790LTA-9/16	78	7	22	25	7903-25	7904-24	6	200
0790120265100	790LTA-5/8	78	8	25	25	7903-25	7904-24	6	200
0790120275100	790LTA-11/16	78	9	25	25	7903-25	7904-24	6	190
0790120285100	790LTA-3/4	78	9,5	28	30	7903-25	7904-24	3	250
0790120305100	790LTA-13/16	78	11	30	30	7903-25	7904-24	3	280
0790120315100	790LTA-7/8	78	13	32	30	7903-25	7904-24	3	280
0790120325100	790LTA-15/16	78	13	35	30	7903-25	7904-24	3	300
0790120345100	790LTA-1	78	13	35	30	7903-25	7904-24	3	380
0790120355100	790LTA-1.1/16	78	13	38	30	7903-25	7904-24	3	430
0790120365100	790LTA-1.1/8	78	16,5	38	30	7903-25	7904-24	3	480
0790120385100	790LTA-1.1/4	78	17	44	35	7903-25	7904-24	3	500
0790120395100	790LTA-1.5/16	78	19	45	35	7903-25	7904-24	3	550


You will find Impact Sockets 1/2" thin walled on page no. 443



798-E...

IMPACT SOCKET 1/2"

- ▶ for outside TORX® screws
- ▶ for power tools
- ▶ special steel, phosphated
- ▶ female square according to DIN 3121-G 12,5, ISO 1174
- ▶ TORX® = reg. trademark of Acument Intellectual Properties, LLC. USA



12,5

1/2"

Code	Number	★ mm	l/mm	l1 mm	d1 mm	d2 mm	Locking Pin	Locking Ring	Pieces	Weight/g
0798000105000	798-E10	9,42	38	9	15	25	7903-20	7904-20	6	84
0798000145000	798-E14	12,90	38	12	18,5	25	7903-20	7904-20	6	86
0798000185000	798-E18	16,70	38	12	22	25	7903-20	7904-20	6	90
0798000205000	798-E20	18,45	38	13	25	30	7903-25	7904-24	6	128
0798000245000	798-E24	22,16	38	17	28,5	30	7903-25	7904-24	6	142

04




▶ We also focus on little experts in sport and therefore support the Bambini football team of the SG Hackenberg 1973 in Remscheid!

790IN-...

IMPACT SCREWDRIVER SOCKET 1/2"

- for inside hexagon screws
- for power tools
- special steel, phosphated
- female square drive according to DIN 3121-G 12,5, ISO 1174
- inch sizes on request, resp. see price list



12,5

1/2"




Code	Number	l/mm	d mm	Locking Pin	Locking Ring	Pieces	Weight/g
0790010505100	790IN-5	78	25	7903-20	7904-20	6	85
0790010605100	790IN-6	78	25	7903-20	7904-20	6	92
0790010805100	790IN-8	78	25	7903-20	7904-20	6	102
0790011005100	790IN-10	78	25	7903-20	7904-20	6	130
0790011205100	790IN-12	78	25	7903-25	7904-20	6	136
0790011405100	790IN-14	78	25	7903-25	7904-20	6	136
0790011705100	790IN-17	78	25	7903-25	7904-20	6	140
0790011905100	790IN-19	78	25	7903-25	7904-20	6	210

04

790TX-...

IMPACT SCREWDRIVER SOCKET 1/2"

- for inside TORX® screws
- exchangeable blades
- for power tools
- special steel, gunmetal-finished
- female square drive according to DIN 3121-G 12,5, ISO 1174
- TORX® = reg. trademark of Acument Intellectual Properties, LLC. USA



12,5

1/2"

Code	Number	★ mm	l/mm	d mm	Locking Pin	Locking Ring	Pieces	Weight/g
0790015305101	790TX-30	5,52	42	25	7903-20	7904-20	6	110
0790015405101	790TX-40	6,65	42	25	7903-20	7904-20	6	120
0790015505101	790TX-50	8,83	42	25	7903-20	7904-20	6	130
0790015555101	790TX-55	11,22	42	25	7903-20	7904-20	6	130
0790015605101	790TX-60	13,25	42	25	7903-20	7904-20	6	140
0790015705101	790TX-70	15,53	42	25	7903-20	7904-20	6	140

7901-...

IMPACT EXTENSION BAR 1/2"

- ▶ for power tools
- ▶ special steel, phosphated
- ▶ female square according to DIN 3121, form F and G, ISO 1174



12,5

1/2"

Code	Number	l/mm	Locking Pin	Locking Ring	Pieces	Weight/g
7901001255100	7901-125	125	7903-20	7904-20	3	270
7901002505100	7901-250	250	7903-20	7904-20	3	540

795-1/2

IMPACT UNIVERSAL JOINT 1/2"

- ▶ for power tools
- ▶ special steel, phosphated
- ▶ female square according to DIN 3121, form F and G, ISO 1174



12,5

1/2"

Code	Number	l/mm	Locking Pin	Locking Ring	Pieces	Weight/g
0795100235100	795-1/2	65	7903-25	7904-24	3	170

7902-.../7912-...

IMPACT ADAPTOR

- ▶ for power tools
- ▶ special steel, phosphated
- ▶ square according to DIN 3121, form F, G and H, ISO 1174



12,5

1/2"

Code	Number	□	■	l/mm	Locking Pin	Locking Ring	Pieces	Weight/g
7905100235100	7905-1/2	3/8"	1/2"	32	7893-21	7894-20	3	75
7902100195100	7902-3/8	1/2"	3/8"	36	7903-20	7904-20	3	65
7902100285100	7902-3/4	1/2"	3/4"	50	7903-25	7904-24	3	162
7912100235100	7912-1/2	3/4"	1/2"	57	7913-29	7914-28	3	235

You will find the matching socket rails on page no. 169



3427

IMPACT ADAPTOR

- for power tools
- with 1/4" outside hexagon according to DIN 3126-E 6,3, ISO 1173
- special steel
- male square drive according to DIN 3121-E 12,5, DIN ISO 1174, with locking pin
- according to DIN 7428, ISO 3317



12,5

1/2"

Code	Number	l/mm			Pieces	Weight/g
3427000000000	3427	75	1/2"	1/4"	6	100

7903-.../7904-...

IMPACT LOCKING PIN AND RING FOR IMPACT SOCKETS 1/2"

- for locking impact sockets and operating tools
- locking pin made of alloyed special steel
- locking ring made of rubber elastic and oil resistant material



7903-...


7904-...

Code	Number	l/mm	mm Ø	Pieces	Weight/g
7903000205100	7903-20	20	3,0	12	0,75
7903000255100	7903-25	25	3,0	12	0,80
7903000305100	7903-30	30	3,0	12	1,00
7904000205100	7904-20	-	20	12	0,50
7904000245100	7904-24	-	24	12	1,00
7904000305100	7904-30	-	30	12	1,50

790 S6...

IMPACT SOCKET SET 1/2"

- for power tools
- in black metal storage case with OMS-hard foam insert
- tools made of special steel, phosphated
- square according to DIN 3121, form F and G, ISO1174




Code	Number	Contents	Pieces	Weight/g
0790500605100	790 S6	Impact Sockets 1/2": 790- 10, 13, 17, 19, 24 mm Impact Extension Bar 1/2"; 7901-125	1	1262
0790600605100	790 S6A	Impact Sockets 1/2": 790A- 3/8, 1/2, 7/8, 3/4, 15/16" AF Impact Extension Bar 1/2": 7901-125	1	1300

790 S6LT

IMPACT SOCKET SET 1/2"

- for power tools
- in black metal storage case with OMS-hard foam insert
- square according to DIN 3121, form F and G, ISO1174
- tools made of special steel, phosphated




Code	Number	Contents	Pieces	Weight/g
0790520605100	790 S6LT	Impact Sockets, extra deep 1/2": 790LT- 10, 13, 17, 19, 24 mm Impact Extension Bar 1/2"; 7901-125	1	1880

790 S12...

IMPACT SOCKET SET 1/2"

- for power tools
- in black metal storage case with OMS-hard foam insert
- square according to DIN 3121, form F and G, ISO1174
- tools made of special steel, phosphated




Code	Number	Contents	Pieces	Weight/g
0790501205100	790 S12	Impact Sockets, 1/2": 790- 10, 11, 13, 14, 17, 19, 21, 22, 23, 24 mm Impact Extension Bar 1/2", 7901-125 Impact Universal Joint 1/2", 795-1/2	1	2500
0790601205100	790 S12A	Impact Sockets, 1/2": 790A- 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 7/8, 15/16, 1" AF Impact Extension Bar 1/2", 7901-125 Impact Universal Joint 1/2", 795-1/2	1	2400

You will find the matching OMS-24 module on page no. 48



791-..., 791A-...
IMPACT SOCKET 3/4", HEXAGON

- for power tools
- special steel, phosphated
- female square drive according to DIN 3121-H 20, ISO 1174
- according to DIN 3129, ISO 2725-2


20
3/4"


Code	Number	l/mm	l1 mm	d1 mm	d2 mm	Locking Pin	Locking Ring	Pieces	Weight/g
0791000175100	791-17	50	10	30	44	7913-37	7914-36	3	365
0791000195100	791-19	50	12	32,5	44	7913-37	7914-36	3	370
0791000215100	791-21	51	13	35	44	7913-37	7914-36	3	380
0791000225100	791-22	51	14	37,5	44	7913-37	7914-36	3	395
0791000245100	791-24	52	16	39	44	7913-37	7914-36	3	380
0791000255100	791-25	52	16	40	44	7913-37	7914-36	3	380
0791000265100	791-26	53	17	41,5	44	7913-37	7914-36	3	370
0791000275100	791-27	53	18	42,5	44	7913-37	7914-36	3	385
0791000285100	791-28	53	18	44	44	7913-37	7914-36	3	390
0791000295100	791-29	53	19	45	44	7913-37	7914-36	3	390
0791000305100	791-30	53	20	46,5	44	7913-37	7914-36	3	390
0791000325100	791-32	56	21	49	44	7913-37	7914-36	1	471
0791000335100	791-33	56	21	50	44	7913-37	7914-36	1	496
0791000345100	791-34	56	22	51,5	44	7913-37	7914-36	1	511
0791000365100	791-36	56	24	54	44	7913-37	7914-36	1	529
0791000385100	791-38	56	25	56,5	44	7913-37	7914-36	1	584
0791000415100	791-41	57	26	60	44	7913-37	7914-36	1	607
0791000465100	791-46	62	28	66,5	44	7913-37	7914-36	1	750




Code	Number	l/mm	l1 mm	d1 mm	d2 mm	Locking Pin	Locking Ring	Pieces	Weight/g
0791100285100	791A-3/4	50	12	31,5	44	7913-37	7914-36	3	370
0791100305100	791A-13/16	50	14	34	44	7913-37	7914-36	3	380
0791100315100	791A-7/8	50	16	36	44	7913-37	7914-36	3	395
0791100325100	791A-15/16	50	16	38	44	7913-37	7914-36	3	380
0791100345100	791A-1	53	18	40	44	7913-37	7914-36	3	380
0791100355100	791A-1.1/16	53	18	42	44	7913-37	7914-36	3	385
0791100365100	791A-1.1/8	53	20	44	44	7913-37	7914-36	3	390
0791100375100	791A-1.3/16	53	20	46	44	7913-37	7914-36	3	390
0791100385100	791A-1.1/4	56	20	48	44	7913-37	7914-36	1	479
0791100395100	791A-1.5/16	56	23	50	44	7913-37	7914-36	1	494
0791100405100	791A-1.3/8	56	23	52	44	7913-37	7914-36	1	518
0791100415100	791A-1.7/16	56	23	54	44	7913-37	7914-36	1	558
0791100425100	791A-1.1/2	56	25	56	44	7913-37	7914-36	1	583
0791100445100	791A-1.5/8	57	25	59	44	7913-37	7914-36	1	628

further sizes on request

791LT-...

IMPACT SOCKET 3/4", EXTRA DEEP, HEXAGON

- for power tools
- special steel, phosphated
- female square drive according to DIN 3121-H 20, ISO 1174
- inch sizes on request, resp. see price list



20

3/4"

mm


Code	Number	l/mm	l1 mm	d1 mm	d2 mm	Locking Pin	Locking Ring	Pieces	Weight/g
0791020175100	791LT-17	100	15	30	44	7913-37	7914-36	1	603
0791020195100	791LT-19	100	17	32,5	44	7913-37	7914-36	1	620
0791020225100	791LT-22	100	19	36,5	44	7913-37	7914-36	1	695
0791020245100	791LT-24	100	21	39	44	7913-37	7914-36	1	745
0791020275100	791LT-27	100	23	42,5	44	7913-37	7914-36	1	828
0791020305100	791LT-30	100	25	46,5	44	7913-37	7914-36	1	869
0791020325100	791LT-32	100	26	49	44	7913-37	7914-36	1	921
0791020335100	791LT-33	100	26	50	44	7913-37	7914-36	1	984
0791020345100	791LT-34	100	27	51,5	44	7913-37	7914-36	1	1001
0791020365100	791LT-36	100	29	54	44	7913-37	7914-36	1	1050
0791020385100	791LT-38	100	30	56,5	44	7913-37	7914-36	1	1187
0791020415100	791LT-41	100	31	60	44	7913-37	7914-36	1	1272
0791020465100	791LT-46	100	33	66,5	44	7913-37	7914-36	1	1581
0791020505100	791LT-50	90	27	70	54	7913-37	7914-36	1	1400
0791020555100	791LT-55	94	30	78	54	7913-37	7914-36	1	1800
0791020605100	791LT-60	98	33	82	54	7913-37	7914-36	1	1900
0791020655100	791LT-65	105	38	86	54	7913-37	7914-36	1	2000

04

791IN-...

IMPACT SOCKET 3/4"

- ▶ for power tools
- ▶ for inside hexagon screws
- ▶ special steel, phosphated
- ▶ female square according to DIN 3121-H 20, ISO 1174
- ▶ inch sizes on request, resp. see price list



20

3/4"



Code	Number	l/mm	d mm	Locking Pin	Locking Ring	Pieces	Weight/g
0791010105101	791IN-10	69	44	7913-37	7914-36	3	490
0791010125101	791IN-12	69	44	7913-37	7914-36	3	510
0791010145101	791IN-14	69	44	7913-37	7914-36	3	520
0791010175101	791IN-17	69	44	7913-37	7914-36	3	540
0791010195101	791IN-19	84	44	7913-37	7914-36	3	600
0791010225101	791IN-22	84	44	7913-37	7914-36	3	620
0791010245101	791IN-24	84	44	7913-37	7914-36	3	690

7911-...

IMPACT EXTENSION BAR 3/4"

- ▶ for power tools
- ▶ special steel, phosphated
- ▶ square drive according to DIN 3121, form F and H, ISO 1174



20

3/4"

Code	Number	l/mm	Locking Pin	Locking Ring	Pieces	Weight/g
7911001755100	7911-175	175	7913-37	7914-36	1	865
7911002505100	7911-250	250	7913-37	7914-36	1	1151
7911003255100	7911-325	325	7913-37	7914-36	1	1452

795-3/4

IMPACT UNIVERSAL JOINT 3/4"

- ▶ for power tools
- ▶ special steel, phosphated
- ▶ square drive according to DIN 3121, Form F and H, ISO 1174



20

3/4"

Code	Number	l/mm	Locking Pin	Locking Ring	Pieces	Weight/g
0795100285100	795-3/4	105	7913-37	7914-36	1	606

7902-.../7912-.../7922-...

IMPACT ADAPTOR

- ▶ for power tools
- ▶ special steel, phosphated
- ▶ square according to DIN 3121, form F, G and H, ISO 1174



20

3/4"

Code	Number	□	□	l/mm	Locking Pin	Locking Ring	Pieces	Weight/g
7902100285100	7902-3/4	1/2"	3/4"	50	7903-25	7904-24	3	162
7912100235100	7912-1/2	3/4"	1/2"	57	7913-37	7914-36	3	235
7912100345100	7912-1	3/4"	1"	62	7913-37	7914-36	3	340
7922100285100	7922-3/4	1"	3/4"	75	7923-42	7924-41	1	548

7913-.../7914-...

IMPACT LOCKING PIN AND RING FOR IMPACT SOCKET 3/4"

- ▶ for locking impact sockets and operating tools
- ▶ locking pin made of alloyed special steel
- ▶ locking ring made of rubber elastic and oil resistant material




Code	Number	l/mm	mm Ø	Pieces	Weight/g
7913000295100	7913-29	29	4,0	12	3,0
7913000375100	7913-37	37	4,0	12	3,8
7913000455100	7913-45	45	4,0	12	4,5
7914000285100	7914-28	-	28	12	1,2
7914000365100	7914-36	-	36	12	1,4
7914000465100	7914-46	-	46	12	1,6

791 S6LT

IMPACT SOCKET SET 3/4"

- ▶ for power tools
- ▶ in black metal storage case with OMS-hard foam insert
- ▶ female square drive according to DIN 3121-H 20, ISO1174
- ▶ tools made of special steel, phosphated




Code	Number	Contents	Pieces	Weight/g
0791520605100	791 S6LT	Impact Sockets, extra deep 3/4"; 791LT- 24, 27, 30, 32, 36, 41 mm	1	7360

791 S5...

IMPACT SOCKET SET 3/4"

- ▶ for power tools
- ▶ in black metal storage case with OMS-hard foam insert
- ▶ female square drive according to DIN 3121-H 20, ISO 1174
- ▶ tools made of special steel, phosphated




Code	Number	Contents	Pieces	Weight/g
0791500505100	791 S5	Impact Sockets 3/4"; 791- 19, 24, 27, 30, 32 mm	1	2850
0791600505100	791 S5A	Impact Sockets 3/4"; 791A- 3/4, 15/16, 1.1/16, 1-3/16, 1.5/16" AF	1	2800

791 S10...

IMPACT SOCKET SET 3/4"

- ▶ for power tools
- ▶ in black metal storage case with OMS-hard foam insert
- ▶ female square drive according to DIN 3121-H 20, ISO1174
- ▶ tools made of special steel, phosphated




Code	Number	Contents	Pieces	Weight/g
0791501005100	791 S10	Impact Sockets 3/4": 791- 17, 19, 22, 24, 27, 30, 32, 36, 41, 46 mm	1	6160
0791601005100	791 S10A	Impact Sockets 3/4": 791- 3/4, 7/8, 15/16, 1.1/16, 1.3/16, 1.5/16, 1.7/16, 1.5/8, 1.3/4, 1.7/8" AF	1	6160

You will find the matching OMS-23 module on page no. 48



792-..., 792A-...
IMPACT SOCKET 1", HEXAGON

- for power tools
- special steel, phosphated
- female square drive according to DIN 3121-H 25, ISO 1174
- according to DIN 3129, ISO 2725-2


25
1"


Code	Number	l/mm	l1 mm	d1 mm	d2 mm	Locking Pin	Locking Ring	Pieces	Weight/g
0792000195100	792-19	56	12	35,5	54	7923-45	7924-44	1	684
0792000215100	792-21	56	13	38	54	7923-45	7924-44	1	667
0792000225100	792-22	56	14	39,5	54	7923-45	7924-44	1	672
0792000245100	792-24	57	16	42	54	7923-45	7924-44	1	696
0792000255100	792-25	58	17	43	54	7923-45	7924-44	1	706
0792000265100	792-26	58	17	44,5	54	7923-45	7924-44	1	703
0792000275100	792-27	59	18	45,5	54	7923-45	7924-44	1	691
0792000285100	792-28	58	19	46	54	7923-45	7924-44	1	690
0792000295100	792-29	60	19	48	54	7923-45	7924-44	1	693
0792000305100	792-30	61	20	49,5	54	7923-45	7924-44	1	691
0792000325100	792-32	61	21	52	54	7923-45	7924-44	1	692
0792000335100	792-33	61	21	53	54	7923-45	7924-44	1	686
0792000345100	792-34	62	22	54,5	54	7923-45	7924-44	1	685
0792000365100	792-36	64	24	57	54	7923-45	7924-44	1	746
0792000385100	792-38	64	25	59,5	54	7923-45	7924-44	1	771
0792000415100	792-41	68	26	63	54	7923-45	7924-44	1	787
0792000425100	792-42	68	26	64,5	54	7923-45	7924-44	1	836
0792000465100	792-46	72	28	69,5	54	7923-45	7924-44	1	1133
0792000505100	792-50	76	31	74,5	54	7923-45	7924-44	1	1208
0792000525100	792-52	76	31	76	54	7923-45	7924-44	1	1298
0792000555100	792-55	80	33	80,5	54	7923-45	7924-44	1	1399
0792000605100	792-60	85	36	87	54	7923-45	7924-44	1	1687
0792000655100	792-65	90	39	93	54	7923-45	7924-44	1	2004
0792000705100	792-70	95	41	99,5	54	7923-45	7924-44	1	2280




Code	Number	l/mm	l1 mm	d1 mm	d2 mm	Locking Pin	Locking Ring	Pieces	Weight/g
0792100285100	792A-3/4	55	9,5	35	54	7923-45	7924-44	1	582
0792100325100	792A-15/16	55	13	41	54	7923-45	7924-44	1	580
0792100345100	792A-1	55	13	43	54	7923-45	7924-44	1	641
0792100365100	792A-1.1/8	57	16,5	48	54	7923-45	7924-44	1	630
0792100385100	792A-1.1/4	57	17	51	54	7923-45	7924-44	1	630
0792100395100	792A-1.5/16	60	19	54	54	7923-45	7924-44	1	679
0792100405100	792A-1.3/8	60	19	54	54	7923-45	7924-44	1	659
0792100415100	792A-1.7/16	60	19	54	54	7923-45	7924-44	1	631
0792100425100	792A-1.1/2	64	22	60	54	7923-45	7924-44	1	797
0792100445100	792A-1.5/8	64	22	63	54	7923-45	7924-44	1	821
0792100475100	792A-1.13/16	69	25,5	70	54	7923-45	7924-44	1	1013
0792100485100	792A-1.7/8	72	27	70	54	7923-45	7924-44	1	1000
0792100495100	792A-2	72	27	73	54	7923-45	7924-44	1	1080
0792100525100	792A-2.3/16	80	32	82	54	7923-45	7924-44	1	1413
0792100535100	792A-2.1/4	80	33	82	54	7923-45	7924-44	1	1405

792LT-...

IMPACT SOCKET 1", EXTRA DEEP, HEXAGON

- for power tools
- special steel, phosphated
- female square drive according to DIN 3121-H 25, ISO 1174
- inch sizes on request resp. see price list
- special sizes on request, resp. see price list



25

1"



Code	Number	l/mm	l1 mm	d1 mm	d2 mm	Locking Pin	Locking Ring	Pieces	Weight/g
0792020215100	792LT-21	110	18	38	54	7923-45	7924-44	1	957
0792020225100	792LT-22	110	19	39,5	54	7923-45	7924-44	1	973
0792020245100	792LT-24	110	21	42	54	7923-45	7924-44	1	1036
0792020275100	792LT-27	110	23	45,5	54	7923-45	7924-44	1	1075
0792020305100	792LT-30	110	25	49,5	54	7923-45	7924-44	1	1136
0792020325100	792LT-32	110	26	52	54	7923-45	7924-44	1	1208
0792020335100	792LT-33	110	26	53	54	7923-45	7924-44	1	1216
0792020345100	792LT-34	110	27	54,5	54	7923-45	7924-44	1	1236
0792020365100	792LT-36	110	29	57	54	7923-45	7924-44	1	1293
0792020385100	792LT-38	110	30	59,5	54	7923-45	7924-44	1	1398
0792020415100	792LT-41	110	31	63	54	7923-45	7924-44	1	1477
0792020465100	792LT-46	110	33	69,5	54	7923-45	7924-44	1	1798
0792020505100	792LT-50	110	36	74,5	54	7923-45	7924-44	1	2000
0792020555100	792LT-55	110	38	80,5	54	7923-45	7924-44	1	2200
0792020605100	792LT-60	110	41	87	54	7923-45	7924-44	1	2540
0792020655100	792LT-65	110	44	93	54	7923-45	7924-44	1	3000


04



792IN-...

IMPACT SOCKET 1"

- for power tools
- for inside hexagon screws
- special steel, phosphated
- female square drive according to DIN 3121-H 25, ISO 1174
- inch sizes on request, resp. see price list



25

1"



Code	Number	l/mm	d mm	Locking Pint	Locking Ring	Pieces	Weight/g
0792010105101	792IN-10	100	54	7923-45	7924-45	1	680
0792010125101	792IN-12	100	54	7923-45	7924-45	1	700
0792010145101	792IN-14	100	54	7923-45	7924-45	1	730
0792010175101	792IN-17	100	54	7923-45	7924-45	1	740
0792010195101	792IN-19	100	54	7923-45	7924-45	1	810
0792010225101	792IN-22	100	54	7923-45	7924-45	1	840
0792010245101	792IN-24	100	54	7923-45	7924-45	1	890
0792010275101	792IN-27	100	54	7923-45	7924-45	1	930
0792010305101	792IN-30	100	54	7923-45	7924-45	1	1050
0792010325101	792IN-32	100	54	7923-45	7924-45	1	1260

7921-...

IMPACT EXTENSION BAR 1"

- for power tools
- special steel, phosphated
- square according to DIN 3121, form F and H, ISO 1174



25

1"

Code	Number	l/mm	Locking Pin	Locking Ring	Pieces	Weight/g
7921001755100	7921-175	175	7923-45	7924-44	1	1497
7921002505100	7921-250	250	7923-45	7924-44	1	2000
7921003255100	7921-325	325	7923-45	7924-44	1	2200

7912-.../7922-.../7932-...

IMPACT ADAPTOR

- for power tools
- special steel, phosphated
- square according to DIN 3121, form F and H, ISO 1174



25

1"

Code	Number	⊙	⊠	l/mm	Locking Pin	Locking Ring	Pieces	Weight/g
7912100345100	7912-1	3/4"	1"	62	7913-37	7914-36	3	340
7922100285100	7922-3/4	1"	3/4"	75	7923-42	7924-41	1	530
7922100425100	7922-1.1/2	1"	1.1/2"	80	7923-45	7924-44	1	953
7932100345100	7932-1	1.1/2"	1"	95	7933-67	7934-67	1	1975

7923-.../7924-...

IMPACT LOCKING PIN AND RING FOR IMPACT SOCKET 1"

- for locking impact sockets and operating tools
- locking pin made of alloyed special steel
- locking ring made of rubber elastic and oil resistant material



Code	Number	l/mm	mm Ø	Pieces	Weight/g
7923000425100	7923-42	42	5,0	12	6,5
7923000455100	7923-45	45	5,0	12	7,0
7923000515100	7923-51	51	5,0	12	8,0
7924000415100	7924-41	-	41	12	4,0
7924000445100	7924-44	-	44	12	5,0
7924000455100	7924-45	-	45	12	5,5
7924000515100	7924-51	-	51	12	6,0

04

You will find the matching automotive special sockets on page no. 443



! ALL 1.1/2" AND 2.1/2" INSERTS PLUS ACC

04

793-..., 793A-...
IMPACT SOCKET 1.1/2", HEXAGON

- ▶ for power tools
- ▶ special steel, phosphated
- ▶ female square drive according to DIN 3121-H 40, ISO1174
- ▶ according to DIN 3129, ISO 2725-2





40
1.1/2"

793IN-..., 793INA-...
IMPACT SOCKET 1.1/2"

- ▶ for power tools
- ▶ for inside hexagon screws
- ▶ with exchangeable blades
- ▶ special steel, phosphated
- ▶ female square drive according to DIN 3121-H 40, ISO 1174





40
1.1/2"

7933-.../7934-...
IMPACT LOCKING PIN AND RING FOR IMPACT SOCKET 1.1/2"

- ▶ for locking impact sockets and operating tools
- ▶ locking pin made of alloyed special steel
- ▶ locking ring made of rubber elastic and oil resistant material




ACCESSORIES ARE AVAILABLE ON REQUEST.

793LT-..., 793LTA-...

IMPACT SOCKET 1.1/2", EXTRA DEEP, HEXAGON

- ▶ for power tools
- ▶ special steel, phosphated
- ▶ female square drive according to DIN 3121-H 40, ISO 1174



40

1.1/2"




04

794-..., 794A-...

IMPACT SOCKET 2.1/2", HEXAGON

- ▶ for power tools
- ▶ special steel, phosphated
- ▶ female square drive according to DIN 3121-H 63, ISO1174
- ▶ according to DIN 3129, ISO 2725-2



63

2.1/2"



7935-.../7936-...

IMPACT LOCKING PIN AND RING FOR IMPACT SOCKETS 2.1/2"

- ▶ for locking impact sockets and operating tools
- ▶ locking pin made of alloyed special steel
- ▶ locking ring made of rubber elastic and oil resistant material



4100-IS...
SCREWDRIVER BIT 1/4"

- for plain slotted screws
- ELORA-Chrome-Molybdenum-Vanadium 73MoV5-2 / 1.2381
- male hexagon according to DIN 3126 E 6,3, DIN ISO 1173
- according to DIN ISO 2351-1


6,3
1/4"


Code	Number	l/mm	Pieces	Weight/g
410005045200	4100-IS 0,5x4	50	12	8
410008045200	4100-IS 0,8x4	50	12	9
410016085200	4100-IS 1,6x8	50	12	15
410016095200	4100-IS 1,6x9	50	12	16
410016115200	4100-IS 1,6x11	50	12	20
410020125200	4100-IS 2x12	50	12	22

4120-PH...
SCREWDRIVER BIT 1/4"

- for cross slotted screws PH
- ELORA-Chrome-Molybdenum-Vanadium 73MoV5-2 / 1.2381
- male hexagon according to DIN 3126 E 6,3, DIN ISO 1173
- according to DIN ISO 2351-2, tip according to DIN ISO 8764-1 PH


6,3
1/4"


Code	Number	l/mm	Pieces	Weight/g
412000005200	4120-PH 0	50	12	7,6
412000015200	4120-PH 1	50	12	8,8
412000025200	4120-PH 2	50	12	10,0
412000035200	4120-PH 3	50	12	12,0

4130-PZ...
SCREWDRIVER BIT 1/4"

- for cross slotted screws PZ
- ELORA-Chrome-Molybdenum-Vanadium 73MoV5-2 / 1.2381
- male hexagon according to DIN 3126 E 6,3, DIN ISO 1173
- according to DIN ISO 2351-2, tip according to DIN ISO 8764-1 PZ


6,3
1/4"


Code	Number	l/mm	Pieces	Weight/g
413000005200	4130-PZ 0	50	12	7,6
413000015200	4130-PZ 1	50	12	8,8
413000025200	4130-PZ 2	50	12	10,8
413000035200	4130-PZ 3	50	12	12,4
413000045200	4130-PZ 4	50	12	18,0

4110-IN
SCREWDRIVER BIT 1/4"

- for inside hexagon screws
- ELORA-Chrome-Molybdenum-Vanadium 73MoV5-2 / 1.2381
- male hexagon according to DIN 3126 E 6,3, DIN ISO 1173
- according to DIN ISO 2351-3


6,3
1/4"


Code	Number	l/mm	Pieces	Weight/g
4110000305200	4110-IN 3	50	12	8,4
4110000405200	4110-IN 4	50	12	10,8
4110000505200	4110-IN 5	50	12	11,2
4110000605200	4110-IN 6	50	12	12,8
4110000705200	4110-IN 7	50	12	15,2
4110000805200	4110-IN 8	50	12	16,5
4110001005200	4110-IN 10	50	12	22,4

4160-TX...
SCREWDRIVER BIT 1/4"

- for inside TORX® screws
- ELORA-Chrome-Molybdenum-Vanadium 73MoV5-2 / 1.2381
- male hexagon according to DIN 3126 E 6,3, DIN ISO 1173
- TORX® = reg. trademark of Acument Intellectual Properties, LLC. USA


6,3
1/4"


Code	Number	l/mm	l/mm	Pieces	Weight/g
416000105200	4160-TX10	2,74	70	6	10,4
416000155200	4160-TX15	3,27	70	6	10,4
416000205200	4160-TX20	3,86	70	6	11,6
416000255200	4160-TX25	4,43	70	6	14,8
416000275200	4160-TX27	4,99	70	6	13,2
416000305200	4160-TX30	5,52	70	6	15,2
416000405200	4160-TX40	6,65	70	6	17,6

3000-IS...
SCREWDRIVER BIT 1/4"

- for plain slotted screws
- ELORA-Chrome-Molybdenum-Vanadium 73MoV5-2 / 1.2381
- male hexagon according to DIN 3126 C 6,3, DIN ISO 1173
- according to DIN ISO 2351-1


6,3
1/4"


Code	Number	l/mm	Pieces	Weight/g
3000005035200	3000-IS 0,5x 3	39	12	5
3000005045200	3000-IS 0,5x 4	39	12	5,3
3000006355200	3000-IS 0,6x3,5	39	12	6
3000006045200	3000-IS 0,6x4	39	12	5,5
3000006455200	3000-IS 0,6x4,5	39	12	7
3000008045200	3000-IS 0,8x4	39	12	7
3000008555200	3000-IS 0,8x5,5	39	12	7
3000010555200	3000-IS 1,0x5,5	39	12	7,5
3000012655200	3000-IS 1,2x6,5	39	12	11,6
3000012085200	3000-IS 1,2x8	39	12	8,7
3000016085200	3000-IS 1,6x8	39	12	11,6
3000016105200	3000-IS 1,6x10	39	12	15,6

3020-PH...

SCREWDRIVER BIT 1/4"

- for cross slotted screws PH
- ELORA-Chrome-Molybdenum-Vanadium 73MoV5-2 / 1.2381
- male hexagon according to DIN 3126 C 6,3, DIN ISO 1173
- according to ISO 2351-2, tip according to DIN ISO 8764-1 PH



6,3

1/4"



Code	Number	l/mm	Pieces	Weight/g
3020001255200	3020-PH 1x25	25	12	4,8
3020002255200	3020-PH 2x25	25	12	5,2
3020002325200	3020-PH 2x32	32	12	6,9
3020002505200	3020-PH 2x50	50	12	11,6
3020003255200	3020-PH 3x25	25	12	5,2
3020003325200	3020-PH 3x32	32	12	7,2

3021-PZ...

SCREWDRIVER BIT 1/4"

- for cross slotted screws PZ
- ELORA-Chrome-Molybdenum-Vanadium 73MoV5-2 / 1.2381
- male hexagon according to DIN 3126 C 6,3, ISO 1173
- according to ISO 2351-2, tip according to DIN ISO 8764-1 PZ



6,3

1/4"



Code	Number	l/mm	Pieces	Weight/g
3021001255200	3021-PZ 1x25	25	12	5,5
3021002255200	3021-PZ 2x25	25	12	5,6
3021002505200	3021-PZ 2x50	50	12	12
3021003255200	3021-PZ 3x25	25	12	5,6
3021003325200	3021-PZ 3x32	32	12	7,4

3010-IN...

SCREWDRIVER BIT 1/4"

- for inside hexagon screws
- ELORA-Chrome-Molybdenum-Vanadium 73MoV5-2 / 1.2381
- male hexagon according to DIN 3126 C 6,3, ISO 1173
- according to DIN ISO 2351-3



6,3

1/4"



Code	Number	l/mm	Pieces	Weight/g
3010000305200	3010-IN 3	25	12	5
3010000405200	3010-IN 4	25	12	5
3010000505200	3010-IN 5	25	12	5,4
3010000605200	3010-IN 6	25	12	6,0
3010001005200	3010-IN 10	25	12	11,2

3050-TX...

SCREWDRIVER BIT 1/4"

- for inside TORX® screws
- ELORA-Chrome-Molybdenum-Vanadium 73MoV5-2 / 1.2381
- male hexagon according to DIN 3126 C 6,3, ISO 1173
- TORX® = reg. trademark of Acument Intellectual Properties, LLC. USA



6,3

1/4"



Code	Number	★ mm	l/mm	Pieces	Weight/g
3050000065200	3050-TX 6	1,69	25	12	4,2
3050000075200	3050-TX 7	1,99	25	12	4,3
3050000085200	3050-TX 8	2,31	25	12	4,4
3050000095200	3050-TX 9	2,5	25	12	4,4
3050000105200	3050-TX 10	2,74	25	12	4,5
3050000155200	3050-TX 15	3,27	25	12	4,6
3050000205200	3050-TX 20	3,86	25	12	5
3050000255200	3050-TX 25	4,43	25	12	5,2
3050000275200	3050-TX 27	4,99	25	12	5,4
3050000305200	3050-TX 30	5,52	25	12	5,6
3050000405200	3050-TX 40	6,65	25	12	6,4

3070-TTX...

SCREWDRIVER BIT 1/4"

- for inside-TORX® safety screws
- ELORA-Chrome-Molybdenum-Vanadium 73MoV5-2 / 1.2381
- male hexagon according to DIN 3126 C 6,3, ISO 1173
- TORX® = reg. trademark of Acument Intellectual Properties, LLC. USA



6,3

1/4"



Code	Number	l/mm	★ mm	Pieces	Weight/g
3070000105200	3070-TTX 10	26	2,74	12	4,4
3070000155200	3070-TTX 15	26	3,27	12	4,6
3070000205200	3070-TTX 20	26	3,86	12	4,6
3070000255200	3070-TTX 25	26	4,43	12	5
3070000275200	3070-TTX 27	26	4,99	12	5,4
3070000305200	3070-TTX 30	26	5,52	12	5,4
3070000405200	3070-TTX 40	26	6,65	12	6

3050-IPR...

SCREWDRIVER BIT 1/4"

- for TORX Plus® IPR-screws
- ELORA-Chrom-Molybdän-Vanadium 73MoV5-2 / 1.2381
- male hexagon according to DIN 3126 C 6,3, ISO 1173
- TORX® = reg. trademark of Acument Intellectual Properties, LLC. USA



6,3

1/4"

Code	Number	l/mm	Pieces	Weight/g
3050000105300	3050-IPR 10	25	12	4,5
3050000155300	3050-IPR 15	25	12	4,6
3050000205300	3050-IPR 20	25	12	5,0
3050000255300	3050-IPR 25	25	12	5,2
3050000275300	3050-IPR 27	25	12	5,4
3050000305300	3050-IPR 30	25	12	5,6
3050000405300	3050-IPR 40	25	12	6,4

3030-XZN...

SCREWDRIVER BIT 1/4"

- ▶ for inside multi-point B&S and XZN screws
- ▶ ELORA-Chrome-Molybdenum-Vanadium 73MoV5-2 / 1.2381
- ▶ male hexagon according to DIN 3126 C 6,3, ISO 1173



6,3

1/4"



Code	Number	l/mm	Pieces	Weight/g
3030000055200	3030-XZN M5	25	12	5,2
3030000065200	3030-XZN M6	25	12	5,6

3040-RIB...

SCREWDRIVER BIT 1/4"

- ▶ for RIBE®-CV-screws
- ▶ ELORA-Chrome-Molybdenum-Vanadium 73MoV5-2 / 1.2381
- ▶ male hexagon drive according to DIN 3126 C 6,3, ISO 1173
- ▶ RIBE® = reg. trademark of Richard Bergner GmbH & Co KG, Schwabach



6,3

1/4"



Code	Number	l/mm	Pieces	Weight/g
3040000055200	3040-RIB M5	32	12	5,0
3040000065200	3040-RIB M6	32	12	6,8
3040000085200	3040-RIB M8	32	12	10,0
3040000105200	3040-RIB M10	32	12	13,2

3080-...

DOUBLE FUNCTION SCREWDRIVER BIT 1/4"

- ▶ cross-slotted head screws PH
- ▶ 1/4" hexagonal shank
- ▶ ELORA-Chrome-Molybdenum-Vanadium 73MoV5-2 / 1.2381



6,3

1/4"



Code	Number	l/mm	Pieces	Weight/g
3080010025260	3080-PH 2	0,8x5,5	12	14
3080010035260	3080-PH 3	1,0x7,0	12	16

3100-IS...

SCREWDRIVER BIT 5/16"

- ▶ for plain slotted screws
- ▶ ELORA-Chrome-Molybdenum-Vanadium 73MoV5-2 / 1.2381
- ▶ male hexagon drive according to DIN 3126 C 8, DIN ISO 1173
- ▶ according to DIN ISO 2351-1



8

5/16"



Code	Number	l/mm	Pieces	Weight/g
3100008555200	3100-IS 0,8x5,5	41	12	9,6
3100010555200	3100-IS 1x5,5	41	12	10,4
3100012655200	3100-IS 1,2x6,5	41	12	12,4
3100012805200	3100-IS 1,2x8,0	41	12	16
3100016805200	3100-IS 1,6x8,0	41	12	16
3100020125200	3100-IS 2,0x12	41	12	24
3100025145200	3100-IS 2,5x14	41	12	30

3120-PH...

SCREWDRIVER BIT 5/16"

- ▶ for cross slotted screws PH
- ▶ ELORA-Chrome-Molybdenum-Vanadium 73MoV5-2 / 1.2381
- ▶ male hexagon drive according to DIN 3126 C 8, DIN ISO 1173
- ▶ according to DIN ISO 2351-2, tip according to DIN ISO 8764-1 PH



8

5/16"



Code	Number	l/mm	Pieces	Weight/g
3120001325200	3120-PH 1x32	32	12	10
3120002325200	3120-PH 2x32	32	12	10
3120003325200	3120-PH 3x32	32	12	11
3120004325200	3120-PH 4x32	32	12	11,5
3120004385200	3120-PH 4x38	38	12	17

3121-PZ...

SCREWDRIVER BIT 5/16"

- ▶ for cross slotted screws PZ
- ▶ ELORA-Chrome-Molybdenum-Vanadium 73MoV5-2 / 1.2381
- ▶ male hexagon according to DIN 3126 C 8, DIN ISO 1173
- ▶ according to DIN ISO 2351-2, tip according to DIN ISO 8764-1 PZ



8

5/16"




Code	Number	l/mm	Pieces	Weight/g
3121000015200	3121-PZ 1	32	12	10
3121000025200	3121-PZ 2	32	12	10
3121000035200	3121-PZ 3	32	12	10,4
3121000045200	3121-PZ 4	32	12	13,2

3110-IN...

SCREWDRIVER BIT 5/16"

- ▶ for inside hexagon screws
- ▶ ELORA-Chrome-Molybdenum-Vanadium 73MoV5-2 / 1.2381
- ▶ male hexagon drive according to DIN 3126 C 8, DIN ISO 1173
- ▶ according to DIN ISO 2351-3



8

5/16"

Code	Number	l/mm	Pieces	Weight/g
3110000045200	3110-IN 4	30	12	9,6
3110000055200	3110-IN 5	30	12	8,9
3110000065200	3110-IN 6	30	12	10,4
3110000085200	3110-IN 8	30	12	12
3110000105200	3110-IN 10	30	12	14,4

3150-TX...

SCREWDRIVER BIT 5/16"

- ▶ for inside TORX® screws
- ▶ ELORA-Chrome-Molybdenum-Vanadium 73MoV5-2 / 1.2381
- ▶ male hexagon drive according to DIN 3126 C 8, DIN ISO 1173
- ▶ TORX® = reg. trademark of Acument Intellectual Properties, LLC. USA



8

5/16"

Code	Number	mm	l/mm	Pieces	Weight/g
3150000255200	3150-TX 25	4,43	35	12	10,2
3150000275200	3150-TX 27	4,99	35	12	10,4
3150000305200	3150-TX 30	5,52	35	12	10,8
3150000405200	3150-TX 40	6,65	35	12	11,8
3150000455200	3150-TX 45	7,82	35	12	12,9
3150000505200	3150-TX 50	8,83	35	12	14,4
3150000555200	3150-TX 55	11,22	35	12	20,4

3130-XZN...

SCREWDRIVER BIT 5/16"

- ▶ for inside multi-point B&S and XZN screws
- ▶ ELORA-Chrome-Molybdenum-Vanadium 73MoV5-2 / 1.2381
- ▶ male hexagon drive according to DIN 3126 C 8, DIN ISO 1173



8

5/16"

Code	Number	l/mm	Pieces	Weight/g
3130000055200	3130-XZN 5	28	12	8,4
3130000065200	3130-XZN 6	28	12	8,4
3130000085200	3130-XZN 8	28	12	9,6
3130000105200	3130-XZN 10	32	12	10,4
3130000125200	3130-XZN 12	36	12	22
3130000145200	3130-XZN 14	36	12	31

3170-TTX...

SCREWDRIVER BIT 5/16"

- ▶ for inside-TORX® safety screws
- ▶ ELORA Chrome-Molybdenum-Vanadium 73MoV5-2 / 1.2381
- ▶ male hexagon drive according to DIN 3126 C 8, DIN ISO 1173
- ▶ TORX® = reg. trademark of Acument Intellectual Properties, LLC. USA



8

5/16"

Code	Number	mm	l/mm	Pieces	Weight/g
3170000255200	3170-TTX 25	4,43	35	12	10
3170000275200	3170-TTX 27	4,99	35	12	10
3170000305200	3170-TTX 30	5,52	35	12	11

3090

BIT RATCHET, STRAIGHT

- ▶ bit lock with permanent magnet
- ▶ reversible
- ▶ female hexagon drive according to DIN 3126 D 6,3 (1/4") and DIN 3126 D 8 (5/16")



6,3

8

1/4"

5/16"

Code	Number	l/mm	Pieces	Weight/g
3090000002000	3090	138	6	105

3090G

BIT RATCHET, CRANKED

- ▶ bit lock with permanent magnet
- ▶ reversible
- ▶ female hexagon drive according to DIN 3126 D 6,3 (1/4") and DIN 3126 D 8 (5/16")



6,3

8

1/4"


5/16"

Code	Number	l/mm	Pieces	Weight/g
3090000102000	3090G	140	6	105

3415

HAND BIT HOLDER 1/4"

- ▶ bit lock with permanent magnet
- ▶ nonslip QUATROLIT®-2C-handle
- ▶ with suspension hole
- ▶ ELORA-Chrome-Vanadium 31CrV3 / 1.2208
- ▶ female hexagon drive according to DIN 3126 D 6,3 DIN ISO 1173




Code	Number	l/mm	⊙	Pieces	Weight/g
341500000000	3415	180	1/4"	6	130

3300-...

ADAPTOR FOR SCREWDRIVER BITS

- ▶ for power tools
- ▶ bit lock with spring clip
- ▶ gunmetal finished
- ▶ ELORA-Chrome-Vanadium Steel 31CrV3 / 1.2208
- ▶ female hexagon drive according to DIN 3126 D 6,3 respectively DIN 3126 D 8; DIN ISO 1173
- ▶ female square drive according to DIN 3121 Form G
- ▶ according to DIN 7427 Form A




Code	Number	⊙	⊙	l/mm	Pieces	Weight/g
3300123132000	3300-1/2x1/4	1/2"	1/4"	35	6	80
3300123172000	3300-1/2x5/16	1/2"	5/16"	35	6	64

4150-...

BITHOLDER 1/4"

- ▶ bit lock with permanent magnet resp. spring clips
- ▶ with stainless steel sleeve, diameter 9,5 mm
- ▶ female hexagon drive according to DIN 3126 D 6,3
- ▶ male hexagon drive according DIN 3126 E 6,3 DIN ISO 1173
- ▶ according to DIN 7427 Form D




Code	Number	l/mm	⊙	⊙	Pieces	Weight/g
4150000505200	4150-50	50	1/4"	1/4" with spring clip and magnet	6	26
4150001005200	4150-100	100	1/4"	1/4" with spring clip and magnet	6	39

3428

BITHOLDER 1/4"

- ▶ bit lock with permanent magnet and quick clamping system
- ▶ quick locker and ejection system
- ▶ female hexagon drive according to DIN 3126 D 6,3
- ▶ male hexagon drive according DIN 3126 E 6,3, DIN ISO 1173




Code	Number	l/mm	⊙	Pieces	Weight/g
3428000000000	3428	51	1/4"	6	24

3429

BITHOLDER 1/4"

- ▶ with strong permanent magnet for holding the bit
- ▶ bit lock due to quick clamping system and ejection function
- ▶ female hexagon drive according to DIN 3126 D 6,3 and F 6,3
- ▶ male hexagon drive according DIN 3126 E 6,3, DIN ISO 1173




Code	Number	l/mm	⊙	Pieces	Weight/g
3429000000000	3429	60	1/4"	6	27

3452ST

BIT-BOX, STAINLESS 1/4"

- 19 pcs.
- bit holder ELORA-No. 3428 with quick clamping system and male hexagon drive according to DIN 3126 E 6,3
- bits made of stainless steel X46Cr13 / 1.4034, without galvanic surface treatment
- 18 bits with male hexagon drive according to DIN 3126 C 6,3




Code	Number	Contents	Pieces	Weight/g
3452500008000	3452ST	1 Magnetic quick action bit holder ELORA-No.3428 2 piece each plain slotted Screwdriver Bits 0,8x5,5, 1,0x5,5, 1,2x5,5 mm 2 piece each Philips Screwdriver Bits PH1, PH2, PH3 2 piece each Pozidriv Screwdriver Bits PZ1, PZ2, PZ3	1	180

3451-S9

BIT-BOX 1/4"

- 9 pcs.
- in black plastic box with transparent cover
- magnetic bit holder ELORA-No. 4150-50, with male hexagonal drive according to DIN 3126 E 6,3
- bits made of ELORA-Chrome-Molybdenum-Vanadium 73MoV5-2 / 1.2381
- 8 bits with male hexagon drive according to DIN 3126 C 6,3




Code	Number	Contents	Pieces	Weight/g
3451500000000	3451-S9	1 Magnetic bit holder ELORA-No.4150-50 1 piece each plain slotted Screwdriver Bit 4,5x0,6, 6,5x1,2 mm 1 piece each Philips Screwdriver Bit PH1, 2x PH2 1 piece each Pozidriv Screwdriver Bit PZ1, 2x PZ2	1	108

04

3436-S36

BIT-BOX 1/4"

- 36 pcs.
- in black yellow plastic box with belt clip and suspension hole
- magnetic bit holder ELORA-No. 4150-50, with male hexagonal drive according to DIN 3126 E 6,3
- bits made of ELORA Chrome-Molybdenum-Vanadium 73MoV5-2 / 1.2381
- 35 bits with male hexagon drive according to DIN 3126 C 6,3
- TORX® = reg. trademark of Acument Intellectual Properties, LLC. USA



Code	Number	Contents	Pieces	Weight/g
3436000000000	3436-S36	1 Magnetic bit holder ELORA-No. 4150-50 1 piece each each plain slotted Screwdriver Bit 4,5, 5,5, 6,5 mm Phillips Screwdriver Bits 2x PH1, 3x PH2, 2x PH3 Pozi driv Screwdriver Bits 2x PZ1, 3x PZ2, 2x PZ3 1 piece each Inside hexagon Screwdriver Bit IN2, IN 2,5, IN3, IN4, IN5, IN5,5, IN6 1 piece each TORX®-Screwdriver Bit TX10, TX15, TX20, TX25, TX27, TX30, TX40 1 piece each TORX®-Screwdriver Bit TTX20, TTX25, TTX30 TTX40	1	340

3400

HAND OPERATED IMPACT DRIVER 1/2"

- for loosening tight screws with help of a hammer
- reversible with anti-slip plastic grip
- male square drive according to DIN 3120-A 12,5, ISO 1174, with ball locking device



12,5

1/2"

Code	Number	l/mm	Pieces	Weight/g
3400000000000	3400	150	1	750

3401-S12

HAND OPERATED IMPACT DRIVER SET

- 12 pcs.
- in black metal case with plastic inlet
- for loosening tight screws with help of a hammer
- reversible with anti-slip plastic grip
- male square drive according to DIN 3120-A 12,5, ISO 1174, with locking device



Code	Number	Contents	Pieces	Weight/g
3401500120000	3401-S12	1 Hand Operated Impact Driver ELORA-No. 3400 1 Adaptor 3300-1/2x5/16 1 piece each Screwdriver Insert Bit, Plain Slot, 3100-IS 1,0x5,5, 1,2x6,5, 1,6x8,0, 2,0x12,0 mm 1 piece each Screwdriver Insert Bit, cross slot, 3120-PH 2x32, PH 3x32, PH 4x32 1 piece each Screwdriver Insert Bit, inside hexagon 3110-IN 6, IN 8, IN 10 mm	1	1385

